

**To:** Strauss, Alexis[Strauss.Alexis@epa.gov]; Johnson, Kathleen[Johnson.Kathleen@epa.gov]  
**From:** Miller, Amy  
**Sent:** Mon 3/16/2015 4:51:29 PM  
**Subject:** RE: exide question

Yes we have inspected Exide under RCRA . I think our last inspection (prior to last year's inspection ) was in 2008 (focused inspection). Back in 2010, DTSC asked if we would do a process based audit. The facility caught on fire and DTSC asked us not to get involved at that time. So we did not (although I was tempted) because we were busy with intensive lab audit inspections all of the haz waste landfills in the Region. We can talk more in person

Amy C. Miller, Deputy Director

Enforcement Division

US EPA Region IX

(415) 947-4198

millер.amy@epa.gov

**From:** Strauss, Alexis  
**Sent:** Monday, March 16, 2015 9:40 AM  
**To:** Johnson, Kathleen; Miller, Amy  
**Subject:** exide question

With all the negative coverage of DTSC's Exide oversight, it led me to wonder if we (in overseeing DTSC's implementation of RCRA) ever did a RCRA C inspection of Exide, or if this was on our radar more than two years ago...

Alexis Strauss

Deputy Regional Administrator

E.P.A. Region 9

75 Hawthorne Street

San Francisco, CA 94105

415-972-3572

